# SAFETY DATA SHEET

in acc. with Regulation (EU) No. 453/2010 Re

Revision Date: 13.10.2015 Replace Vers. 06.07.2012

# Tradename: MIXOL<sup>®</sup> No. 29 Oxyd-Brillant-Schwarz (Oxide Brilliant Black) page 1/8

## SECTION 1: IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

- 1.1. Product identifier
  - Tradename: MIXOL<sup>®</sup> No. 29 Oxyd-Brillant-Schwarz (Oxide Brilliant Black)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised again <u>Relevant identified uses of the substance or mixture:</u> Industry sector: Industrial Performance Chemicals Paints, lacquers and varnishes industry Polymers industry

Printing Inks Industry

Type of use: Colourant preparation

## 1.3. Details of the supplier of the safety data sheet

Identification of the company: MIXOL-PRODUKTE Diebold GmbH Carl-Zeiss-Str. 17-19 73230 Kirchheim/Teck Phone: 0049 / 7021 / 950090 Fax: 0049 / 7021 / 56030

Information to substance / mixture: Division: Technics Phone: +49(0)7021 / 950090 E-mail: Technik@mixol.de

## 1.4. Emergency telephone number

Emergency CONTACT (24 hours-Number) GBK GmbH +49/(0)6132/84463

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance / mixture

Classification according CLP regulation (Regulation (EC) No. 1272/2008, as amended):

Category of danger	Category Hazard Symbol	H-Phrases

Not a hazardous substance or mixture.

#### 2.2. Label elements

Labelling according CLP regulation (Regulation (EC) No. 1272/2008, as amended): Not a hazardous substance or mixture.

### Additional Labelling:

EUH 208 contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one 2-methyl-4-isothiazolin-3-one and 1.2-benzisothiazolin-3-one.

May produce an allergic reaction.

#### 2.3. Other hazards

No hazards to be specially mentioned.

# SECTION 3: COMPOSITION / INFORMATION TO INGREDIENTS

## 3.1. Mixtures

Chemical characterisation:

C.I. Pigment Black 26 and Calciumcarbonat in aqueous dispersion, contenting Polyglykoland 1,2-Propandiol.

## Tradename: MIXOL<sup>®</sup> No. 29 Oxyd-Brillant-Schwarz (Oxide Brilliant Black) page 2/8

Hazardous ingredients:Alcohols, C16-18 and C18-unsaturated, ethoxylated (10-14 EO)Concentration:>= 2,5 - < 3,5 %		
	68920-66-1 500-236-9	
GHS classification EC:		
Skin irritation	Category 2	H315
Cetyltrimethyl ammonium	chloride	
	>= 0,1 - < 1 %	
CAS number:	112-02-7	
EC number:	203-928-6	
REACH-Registration no.		
acc. to article 20(3):	01-2119970558-23-0000	
GHS classification EC:		
Acute toxicity	Category 4	H302
Acute toxicity	Category 3	H311
Skin corrosion	Category 1C	H314
Serious eye damage	Category 1	H318
Acute aquatic toxicity	Category 1	H400
Chronic aquatic toxicity	Category 1	H410
M-Factor (Acute aquatic to:	kicity) :	10
M-Factor (Chronic aquatic toxicity) : 1		

The text of H-phrases is shown in section 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Discription of first aid measures

## General information:

Get medical advice / attention if you feel unwell.

#### After inhalation:

Move the victim to fresh air.

If you feel unwell, seek medical advice (show the label where possible).

After contact with skin:

In case of contact with skin, clean with plenty of soap and water.

After contact with eyes:

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

<u>After ingestion:</u> If swallowed, seek medical advice immediately and show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed symptoms

Symptoms:

None known.

<u>Hazards:</u> None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed <u>Treatment:</u>

Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Suitable extinguishing media: Water spray jet Dry powder

## Tradename: MIXOL<sup>®</sup> No. 29 Oxyd-Brillant-Schwarz (Oxide Brilliant Black) page 3/8

Carbon dioxide (CO<sub>2</sub>) Alcohol resistant foam <u>Extinguishing media that must not be used for safety reasons:</u> High volume water jet

#### 5.2. Special hazards arising from the substance or mixture In case of fires, hazardous combustion gases are formed: Carbon oxides Nitrogen oxides (NO<sub>X</sub>)

5.3. Advice for firefighters <u>Special protective equipment for firefighting:</u> Use self-contained breathing apparatus.

> <u>Further information:</u> Wear suitable protective equipment.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures Wear suitable personal protective equipment.
- **6.2.** Environment precautions The product should not be allowed to enter drains, water courses or the soil.
- **6.3.** Methods and material for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Treat recovered material as described in the section "Disposal considerations".

#### 6.4. Reference to other sections

<u>Additional information:</u> Information regarding safe handling, see chapter 7.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling: When used and handled appropriately no special measures are needed.

<u>Hygiene measures:</u> Wash hands before breaks and at the end of workday. Use protective skin cream before handling the product. Take off immediately all contaminated clothing and wash it before reuse.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

## 7.2. Conditions for safe storage, including any incompatibilities

<u>Further information on storage conditions:</u> Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care. Keep away from flames and sparks.

Storage stability: Minimum 36 months.

**7.3.** Specific end use(s) No further recommendations.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1. Control parameters

Exposure limit values: Exposure limit values are not available.

# Tradename: MIXOL<sup>®</sup> No. 29 Oxyd-Brillant-Schwarz (Oxide Brilliant Black) page 4/8

DNEL / DMEL-values: Cetyltrimethyl ammonium chloride EC number: 203-928-6 CAS number: 112-02-7

Route of exposure	Personnel	Exposure time / Effect	Value	Remarks
Inhalation	Workers	Long-term systemic effects	3,32 mg/m <sup>3</sup>	DNEL
Dermal	Workers	Long-term systemic effects	4,7 mg/kg bw/day	DNEL
Inhalation	General population	Long-term systemic effects	0,98 mg/m <sup>3</sup>	DNEL
Dermal	General population	Long-term systemic effects	2,83 mg/kg bw/day	DNEL
Oral	General population	Long-term systemic effects	2,83 mg/kg bw/day	DNEL

#### PNEC-values:

Cetyltrimethyl ammonium chloride EC number: 203-928-6 CAS number: 112-02-7

Environmental	Personnel /	Value
compartment	Exposure time / Effect	
Fresh water		0,00068 mg/l
Salt water		0,000068 mg/l
Water (intermittente release)		0,0008 mg/l
Sewage treatment plant		0,4 mg/l
Fresh water sediment		9,27 mg/kg dry weight (d.w.)
Marine sediment		0,927 mg/kg dry weight (d.w.)
Soil		7 mg/kg dry weight (d.w.)

#### 8.2. Exposure controls

Appropriate engineering controls:

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

General protective measures:

Wear suitable protective equipment.

#### Respiratory protection:

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

#### Hand protection:

Nitrile rubber

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Eye protection:

Safety glasses

Body protection:

Wear suitable protective equipment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Form:	liquid
Colour:	black
Odour:	not significant
Odour threshold:	not required

# Tradename: MIXOL<sup>®</sup> No. 29 Oxyd-Brillant-Schwarz (Oxide Brilliant Black) page 5/8

	pH value:	not measured
	•	
	Melting point:	not applicable
	Boiling point:	approx. 100 °C
	Flash point:	> 100 °C
	Evaporation rate:	not determined
	Flammability:	not determined
	Lower explosion limit:	not determined
	Upper explosive limit:	not determined
	Combustion number:	not applicable
	Minimum ignition energy:	not determined
	Vapour pressure:	not determined
	Vapour density relative to air:	not determined
	Relative Density:	no data available
	Solubility in water:	miscible
	Octanol/ water partition	
	coefficient (log Pow):	not determined
	Ignition temperature:	not determined
	Thermal decomposition:	> 100 °C
	Viscosity (dynamic):	not tested
	Oxidizing properties:	no data available
9.2.	Other information	
	Density:	2,36 g/cm <sup>3</sup> (20 °C)

## SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

- **10.2. Chemical Stability** Stable under normal conditions.
- 10.3. Possibility of hazardous reactions No dangerous reaction known under conditions of normal use. Stable.
- **10.4.** Conditions to avoid None known.
- **10.5.** Incompatible Materials No data available.

#### **10.6. Hazardous decomposition products** No decomposition if stored and applied as directed.

#### **SECTION 11: TOXICOLOGIC INFORMATION**

#### 11.1. Information on toxicological effects

Acute dermal toxicity:	Acute toxicity estimate > 2.000 mg/kg Method: Calculation method
Acute inhalation toxicity:	no data available
Irritant effect on skin:	no data available
Irritant effect on eyes:	no data available
Sensitization:	no data available
Repeated dose toxicity:	This information is not available.
Genetic toxicity in vitro:	no data available
Assessment of mutagenicity:	no information available
Assessment of carcinogenicity:	no information available
Assessment of toxicity to reproduction:	no information available

## Tradename: MIXOL<sup>®</sup> No. 29 Oxyd-Brillant-Schwarz (Oxide Brilliant Black) page 6/8

Specific target organ toxicity (STOT) - single exposure:	no data available
Specific target organ toxicity (STOT) - repeated exposure: Aspiration hazard:	no data available no data available
Information related to the component:	Cetyltrimethyl ammonium chloride:
Acute dermal toxicity:	LD50 ca. 528 mg/kg (Rabbit) Method: OECD Test Guideline 402 By analogy with a product of similar composition.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1.	Toxicity:	
	Information related to the product itself:	
	Fish toxicity:	no data available
	Fish toxicity (chronic):	no data available
	Daphnia toxicity:	no data available
	Algae toxicity:	no data available
	Bacteria toxicity:	no data available

## 12.2. Persistence and degradability

Information related to the product itself: Biodegradability:

ity: no data available

## 12.3. Bioaccumulative potential

Information related to the product itself: Bioaccumulation: no data available

#### 12.4. Mobility in soil Information related to the product itself: Behaviour in environmental compartments: no data available

# 12.5. Results of PBT and vPvB assessment

Information related to the product itself: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0,1 % or higher.

## 12.6. Other adverse effects

Information related to the product itself: Additional ecotoxicological remarks: no data available

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Product:

Dispose of in accordance with the European Directives on waste and hazardous waste.

Uncleaned packaging:

This material and its container must be disposed of in a safe way.

# SECTION 14: TRANSPORT INFORMATION

14.1. to 14.5.

ADR:	not restricted
ADN:	not restricted
RID:	not restricted

## Tradename: MIXOL<sup>®</sup> No. 29 Oxyd-Brillant-Schwarz (Oxide Brilliant Black) page 7/8

IATA:	not restricted
IMDG:	not restricted

- 14.6. Special precautions for users See sections 6 to 8 of this Safety Data Sheet.
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No transport as bulk according IBC-Code.

### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other regulations:

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

## 15.2. Chemical safety assessment

No Chemical Safety Assessment (CSA) is yet available for the substance, or for the component substances, contained in this product.

#### **SECTION 16: OTHER INFORMATION**

Observe the legal requirements nationally and locally.

## List of the text of the hazard statements mentioned section 3 (H-phrases) :

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Change compared to the previous version:

Change in the composition

Legend			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
AOX	Adsorbable organic bound halogens		
CAS	Chemical Abstracts Service		
DMEL	Derived Minimal Effect Level (genotoxic substances)		
DNEL	Derived No Effect Level		
EC50	Half maximal effective concentration		
GHS	Globally Harmonized System		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Lethal Concentration 50 %		
LD50	Lethal Dose 50 %		
MARPOL	International Convention for the Prevention of Pollution From Ships		
NOAEC	No Observed Adverse Effect Concentration		
NOAEL	No Observed Adverse Effect Level		
NOEC	Non Observed Effect Concentration		
OEL	Occupational Exposure Limit		
PBT	Persistent, Bioaccumulative, Toxic		
PEC	Predicted Environmental Concentration		
PNEC	Predicted No Effect Concentration		
REACH RID	Registration, Evaluation, Authorisation and Restriction of Chemicals International Rule for Transport of Dangerous Substances by Railway		
	international rule for transport of Dangerous Substances by Maliway		

	Tradename:	MIXOL <sup>®</sup> No. 29	Oxyd-Brillant-Schwarz	(Oxide Brilliant Black)	page 8/8
--	------------	---------------------------	-----------------------	-------------------------	----------

SVHC	Substances of Very High Concern
vPvB	very Persistent and very Bioaccumulative

Decimal notation: "thousands" places are identified with a dot (for example, "2.000 mg/kg" means "two thousand mg/kg"). Decimal places are identified with a comma (for example, "1,35 g/cm<sup>3</sup>" means "one point three five g/cm<sup>3</sup>").

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. MIXOL-PRODUKTE Diebold GmbH makes no warranties, express or implied, as to the information accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of MIXOL products for its particular application. Nothing included in this information waives any of MIXOL's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing.

Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing MIXOL products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products.

For additional information, please contact MIXOL-PRODUKTE Diebold GmbH.